

## Intelligent Design of 2D Nanostructures Based on Molybdenum

T. Burczyński<sup>1</sup>, W. Kuś<sup>2</sup> and A. Mrozek<sup>3</sup>

<sup>1</sup> Institute of Fundamental Technological Research of Polish Academy of Sciences, Pawińskiego 5 B, Warsaw, Poland, E-mail: [tburczynski@ippt.pan.pl](mailto:tburczynski@ippt.pan.pl), [www.ippt.pan.pl](http://www.ippt.pan.pl)

<sup>2</sup> Silesian University of Technology, Gliwice, Poland [wkus@polsl.pl](mailto:wkus@polsl.pl)

<sup>3</sup> AGH University of Science and Technology, Kraków Poland , [amrozek@agh.edu.pl](mailto:amrozek@agh.edu.pl)

**Key Words:** 2D Materials, Molybdenum Disulfide, Memetic Algorithm

2D materials play important role in modern material science. Apart from graphene [1] based on carbon there is possible to create new 2D materials based on molybdenum. One of the most prominent 2D material is the Molybdenum Disulfide (MoS<sub>2</sub>), which reveals polymorphism at the nanolevel. The 2H phase has semiconducting properties and approx. Young's modulus equals to 130 N/m, while the 1T polymorph reveals metallic or ferroelectric properties and two times lower stiffness [2]. Both phases of MoS<sub>2</sub> can exist simultaneously [3]. This paper presents an optimization approach enabling to obtain MoS<sub>2</sub> heterostructures with desired mechanical properties. The proposed memetic approach combines the global optimization, based on the bio-inspired algorithms (e.g. evolutionary algorithm) with the local conjugated-gradient minimization of the potential energy of the nanostructure [1]. The behavior and energy of the atoms is determined by the REAX-FF potential [2].

Memetic optimization of MoS<sub>2</sub> with presence of defects in the form of missing S atoms or the substitution of Mo atoms in place of S is also considered. The MoS<sub>2</sub> structure is modelled with the use of LAMMPS software and the Stillinger-Weber interatomic potential is used

### REFERENCES

- [1] A. Mrozek, W. Kuś, T. T. T. Burczyński, Nano level optimization of graphene allotropes by means of a hybrid parallel evolutionary algorithm, *Computational Materials Science*, 106, (2015) 161-169.
- [2] A. Mrozek. Basic mechanical properties of 2H and 1T single-layer molybdenum disulphide polymorphs. A short comparison of various atomic potentials. *Int. J. Mult. Comp. Eng.* 17(3), (2019) 339-359.
- [3] X. Gan, L. Y. S. Lee, K. Wong, T. W. Lo, K. H. Ho, D. Y. Lei, H. Zhao. 2H/1T Phase Transition of Multilayer MoS<sub>2</sub> by Electrochemical Incorporation of S Vacancies. *ACS Appl. Energy Matter. Solids*, 1,9 (2018) 4754–4765.

### ACKNOWLEDGMENTS

This work was supported by the National Science Centre (NCN – Poland) Research Project: UMO-2016/21/B/ST8/02450.